

Amendments to the Specification:

Please replace the paragraph beginning on page 2, line 26 with the following rewritten paragraph:

In a method of supplying a spectacle lens by bevel-edging an uncut spectacle lens based on lens edge shape data of a specified spectacle frame, ~~an invention of claim 1 one aspect of the invention~~ comprises a lens edging step for bevel-edging the spectacle lens based on the lens edge shape data of the spectacle frame and a predetermined edging condition, a lens circumference measuring step of obtaining the difference between a lens circumference which is obtained in the lens circumference measuring step and a lens edge circumference of the spectacle frame, and a correcting step of correcting the edging condition so as to keep the circumferential difference within a prescribed range.

Please replace the paragraph beginning on page 3, line 26 with the following rewritten paragraph:

~~An invention of claim 2 is the~~Another aspect of the invention relates to a method of supplying the spectacle lens ~~according to claim 1,~~ in which the lens edge shape data includes any one of the information:

three-dimensional lens edge shape information of the specified spectacle frame;
two-dimensional lens edge shape information;
a theoretical circumference, which is the circumference obtained by tracing a frame groove of a lens edge of the spectacle frame or a template of a rimless frame;
left eye/right eye information indicating whether or not the lens edge shape data traced by a lens edge shape measuring device is for the left eye or for the right eye; and

frame/pattern information indicating whether or not the traced lens shape data is for the frames whose bevel groove is measured or for a pattern obtained by measuring the template of the rimless frame or a dummy lens.

Please replace the paragraph beginning on page 4, line 15 with the following rewritten paragraph:

~~An invention of claim 3 is the~~ Another aspect of the invention relates to a method of supplying the spectacle lens according to claim 1, in which the edging condition is obtained by combining each element of:

an element selected from data showing the kind of a material of the spectacle lens;

an element selected from edging mode data showing whether or not a circumference shape is obtained by bevel-edging, flat-edging, or mirror-finishing, by an edging mode; and

an element selected from the data showing a magnitude of a cutting pressure when a cutting processing is applied.

Please replace the paragraph beginning on page 4, line 25 with the following rewritten paragraph:

~~An invention of claim 4 is the~~ Another aspect of the invention relates to a method of supplying the spectacle lens according to claim 1, wherein

in the lens edging step, the spectacle lens is bevel-edged for every edging condition by using a circumference correction value stored in a correction value memory part;

in the circumferential difference calculating step, the data of the circumferential difference thus calculated is added and stored in a circumferential difference data memory part every time for each bevel-edging; and

in the correcting step, the following steps are executed such as a monitoring step of continuously monitoring whether or not the circumferential difference data stored in the circumference difference data memory part is kept within a prescribed range, a circumference correction value re-making step of re-make the circumference correction value so that the circumferential difference data is returned in the prescribed range when it is beyond the prescribed range, and a correction value updating step of updating the circumference correction value of the correction value memory part to a re-made circumference correction value when the circumference correction value is remade in the circumference correction value re-making step.

Please replace the paragraph beginning on page 5, line 19 with the following rewritten paragraph:

~~An invention of claim 5 is the~~ Another aspect of the invention relates to a method of supplying the spectacle lens according to claim 4, in which the circumferential difference data based on the edging result for each lens edging part is independently monitored in the monitoring step.

Please replace the paragraph beginning on page 5, line 23 with the following rewritten paragraph:

~~An invention of claim 6 is the~~ Another aspect of the invention relates to a method of supplying the spectacle lens according to claim 4, in which the circumferential difference data based on the edging result for each lens edging condition is independently monitored in the monitoring step.

Please replace the paragraph beginning on page 6, line 1 with the following rewritten paragraph:

~~An invention of claim 7 is the~~Another aspect of the invention relates to a method of supplying the spectacle lens ~~according to claim 4,~~ in which the bevel-edging is performed by using a diamond wheel as a cutting tool, in which a grind stone powder is sintered or electrodeposited in the peripheral area of a cylindrical body.